

Deccansoft Software Services

(A Microsoft Learning Partner)

Knockout JS

- **Introduction and First Example**
 - Introduction
 - KO Main Features
 - Benefits
 - What is MVVM
 - First Example

- **Bindings and Observables**
 - Understanding Observable Property
 - Reading and writing Observables
 - Notify Subscribers
 - Delay change notifications
 - Observable Arrays
 - Computer Observable

- **Binding Text and Appearance**
 - Visible Binding
 - Text Binding
 - Html Binding
 - CSS Binding
 - Style Binding
 - Attr Binding
 -

- **Control Flow and Containerless Bindings**
 - **if** binding
 - **ifnot** binding
 - **with** binding
 - **foreach** binding

Address: Block No-402, Saptagiri Towers, Landmark: Above Pantaloons, Begumpet Main Road,
Hyderabad - 500 016, TELANGANA, Phone No: +91 80083 27000.

Email: enquiry@deccansoft.com , support@bestdotnettraining.com

- **Binding Form Elements**
 - Click Binding
 - Passing data to method
 - Event Binding
 - Submit Biding
 - HasFocus Biding
 - Checked Binding
 - Options and SelectedOptions Binding
 - Unobstrusive Event Handling

- **Template Bindings**
 - Understanding Template Binding
 - Rendering Named Template
 - Foreach option with a named template
 - Using as to give an alias to foreach
 - Dynamically choosing a template

- **Component Bindings**
 - Define a Component
 - Register a Component
 - Specifying a Template
 - Using Component without a container
 - Login Component
 - Using Template

- **Custom Binding**
 - Writing Component
 - Using Custom Component

- **Handling JSON objects**
 - JSON ViewModel Interoperability
 - Updating View Model using JSon

- KO Mapping PlugIn
- Unmapping to JavaScript Objects
- Working with JSon Strings

- **KO with Web API**
 - Example to perform CRUD operations using KO and WebAPI